<u>Technical Information</u> <u>Material Safety Data Sheet</u>

SECTION 1	CHEMICAL PRODUCT AND COMPANY IDENTIFICATION	
MANUFACTURE'S NAM GASTEC CORPORATION		FACSIMILE NUMBER +81-467-79-3979
ADDRESS 8-8-6 Fukayanaka, Ayase	-City, Kanagawa 252-1195, Japan	
REFERENCE NUMBER	DATE PREPARED	
SDT-92AA_02E	January 10, 2014	
PRODUCT NAME	Gas Detector Tube Acetaldehyde Detector Tube No.92A	A
SECTION 2	COMPOSITION/INFORMATION ON	INGREDIENTS
	Porous Silica Gel (0.7 g) impregnate (<0.1%) in a glass tube.	
SECTION 3	HAZARDOUS IDENTIFICATION	
	Not applicable	
SECTION 4	FIRST AID MEASURES	
Eye contact:	Wash eyes immediately with plenty of water for at least 15 minutes	
	and see a doctor.	
Skin contact:	Wash affected area immediately with soap and plenty of water.	
Inhalation:	Not applicable	
Ingestion:	Rinse mouth immediately and see a c	doctor.
SECTION 5	FIRE FIGHTING MEASURES	
	None	
SECTION 6	ACCIDENTAL RELEASE MEASURE	S
	Not applicable	
SECTION 7	HANDLING AND STORAGE	
	When breaking off the tube ends, kee	
	Broken glass tubes should not be pice Tubes should be stored in a refrigerate	
SECTION 8	EXPOSURE PROTECTION	
	Not applicable	
SECTION 9	PHYSICAL AND CHEMICAL PROPE	RTIFS
	Not applicable	
	300.0000	

SECTION 10	STABILITY AND REACTIVITY	
	Not applicable	
SECTION 11	TOXICOLOGICAL INFORMATION	
	Not applicable	
SECTION 12	ECOLOGICAL INFORMATION	
	Not applicable	
SECTION 13	DISPOSAL CONSIDERATION	
	This tube does not contain any hazardous materials.	
	Dispose of in accordance with all applicable laws and regulations.	
	(Contact local environmental agency for specific rules.)	
CECTION 44	TRANSPORT INFORMATION	
SECTION 14	TRANSPORT INFORMATION	
SECTION 14	Breakage of tubes caused by drops, high pressure or bends should	
SECTION 14		
SECTION 14	Breakage of tubes caused by drops, high pressure or bends should	
SECTION 15	Breakage of tubes caused by drops, high pressure or bends should	
	Breakage of tubes caused by drops, high pressure or bends should be avoided.	
	Breakage of tubes caused by drops, high pressure or bends should be avoided. REGULATORY INFORMATION	
	Breakage of tubes caused by drops, high pressure or bends should be avoided. REGULATORY INFORMATION	
SECTION 15	Breakage of tubes caused by drops, high pressure or bends should be avoided. REGULATORY INFORMATION Not applicable OTHER INFORMATION Reasonable care has been taken in the preparation of this	
SECTION 15	Breakage of tubes caused by drops, high pressure or bends should be avoided. REGULATORY INFORMATION Not applicable OTHER INFORMATION Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of	
SECTION 15	Breakage of tubes caused by drops, high pressure or bends should be avoided. REGULATORY INFORMATION Not applicable OTHER INFORMATION Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with	
SECTION 15	Breakage of tubes caused by drops, high pressure or bends should be avoided. REGULATORY INFORMATION Not applicable OTHER INFORMATION Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no	
SECTION 15	Breakage of tubes caused by drops, high pressure or bends should be avoided. REGULATORY INFORMATION Not applicable OTHER INFORMATION Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with	