

# No-Haz ASTM-Grade SF<sub>6</sub> Sampling Kit

FOR CONVENIENT SAMPLING, SHIPPING, TESTING AND RECAPTURE / RECYCLING OF NEW OR IN-SERVICE SF<sub>6</sub>

## KEY BENEFITS

- Our simple, **"Green" No-Haz** sampling method obtains a representative SF<sub>6</sub> sample as per ASTM / IEC / CIGRE methods. All SF<sub>6</sub> used is recaptured and recycled.
- We offer rapid 3-5 day turn around for test reports and an expedited **same day service option**.
- Our **No-Haz** kits employ Silcotek™ **passivated** stainless steel (ss) hardware which inhibits surface adsorption of SF<sub>6</sub> impurities. Key impurities can be "wall adsorbed" within *untreated* ss cylinders which causes test errors.
- The **low pressure** sample obtained allows you to legally ship\* your SF<sub>6</sub> as a **"non-hazardous industrial sample"** to our ISO-17025 accredited lab. This **No-Haz** advantage greatly reduces shipping costs.
- Our experienced staff can help you design a quality control and **preventative maintenance** testing program for your SF<sub>6</sub> cylinders and GIE systems.

## KIT COMPONENTS

- 2x 300 cc passivated stainless steel cylinders (Minicyl) with 160 psig pressure relief valve, 25 psig check valve (CV) and quick connect (QC) inlet
- 1x Closed, orifice-restricted fitting (COR) with 1/2" to 1/4" bushing adapter set (BAS) and ST-1A flex hose assembly
- Quick connect pressure regulator (QCPR) with 3/8" compression inlet
- 1x 2L MLB-S (Sample Bag)
- 3x 2L MLB-P (Purge Bag)
- CGA-590A Cylinder adapter
- 2x 1" Adjustable Wrenches
- Highly Pictorial Sampling Instructions and Sampling Videos
- Rugged shipping case with custom insert and 2 numbered security tags

World-Class Service at a Fair Price.



Rugged Shipping Case with Instructions and Return Paperwork



2x 300cc evacuated Minicyls with QC Inlets and 25 psig CV Outlets



QCPR Quick Connect Pressure Regulator



MLB-S



MLB-P



Bushing Adapter Set with ST-1A




CGA-590A Cylinder Adapter

## RECOMMENDED SAMPLING EQUIPMENT



VPR-HF-SF<sub>6</sub> Flash Vaporizer - Pressure Regulator



PRAG Pressure Adjustment Gauge

\*Traditional SF<sub>6</sub> sampling kits from other commercial labs involve taking 100+ psig compressed SF<sub>6</sub> in non-passivated stainless steel cylinders. To meet government regulations you must have hazmat-certified staff to ship 100+ psig compressed SF<sub>6</sub> samples back to these other labs as a hazardous material UN1080. Improperly made hazmat shipments can expose your organization to large fines and possible criminal penalties!



**Airborne Labs International**

ISO / IEC 17025:2005 Accredited Laboratory

AIRBORNE LABS INTERNATIONAL, INC

22C World's Fair Drive, Somerset, New Jersey 08873

T: (+1) 732-302-1950

F: (+1) 732-302-3035

E: Sales@AirborneLabs.com www.AirborneLabs.com